



# TEATER JAKARTA



## Location

Teater Besar, Teater Jakarta, Taman Ismail Mardzuki  
Jl. Cikini Raya no.73, Jakarta Pusat , 10330

## Loading Dock

Door Location : Upstage Left  
Door Dimension : 10 m (H) x 3,5 m (W)

## General Information

Maximum Capacity 1200 seat

**Parking Area** : Basement 1 & Basement 2 (500 cars)



## STAGE SPECIFICATIONS

- Proscenium** ..... 11 to 16 (W) x 10 (H) mtr
- Stage Depth (Plaster).....20 mtr
  - Stage Depth from front border to backdrop .....13.5 mtr
  - Stage to Grid .....24 (H) mtr
  - Left Wing Dimension ..... 15 (W) x 15(D) mtr
  - Right Wing Dimensions ..... 5 (W) x 15 (D) mtr


### Dance Floor *(Available upon prior arrangement)*

Make : Harlequin  
Colour : Grey black

### Dressing Rooms *(12 Rooms)*

Each is equipped with Make Up station and table, full length mirrors, wardrobe cabin, speaker station and toilet





- On Level B1 (under stage level)
  - 2 nos. Dressing room ..... Can accommodate up to 13 persons
- On Level 1 (Stage level)
  - 4 nos. dressing room ..... can accommodate up to 2 persons
  - 4 nos. dressing room ..... can accommodate up to 4 persons
- On level 2
  - 2 nos. dressing room ..... can accommodate up to 14 persons

**Green Rooms**

3 nos. Green Room, Location on Level B1, Level 3 and Level 4

**Rehearsal Room**

- 3 nos. Rehearsal room on Level B1
- 1 nos. Rehearsal room on Level 4

**Draperies**

- Front Border : Irish Color, gold fringe ..... 20 (w) x 6 (H) mtr
- House curtain : Irish Color, gold fringe ..... 23,6 (w) x 12 (H) mtr
- Valance Curtain : Flat surface, black ..... 20 (w) x 12 (H) mtr
- Legs Curtain : Black, Swen flat : 5 batten ..... 3 (w) x 12 (H) mtr
- Top Border : Black , Swen flat : 6 batten ..... 20 (w) x 3 (H) mtr
- Scrim : Black Sharkstooth : 1 batten ..... 20 (w) x 12 (H) mtr
- Scrim : White Sharkstooth : 1 batten ..... 20 (w) x 12 (H) mtr
- Mid Stage Curtain : center split, 50% fullness : 1 batten ..... 20.6 (w) x 12 (H) mtr
- Back drop curtain : Black, Swen flat : 1 batten ..... 20 (w) x 12 (H) mtr
- Rear & Front Cyclorama Screen : 1 batten ..... 20 (w) x 12 9H) mtr





**LIGHTING**

**Digital Lighting Control System :** Frog 2 Lighting control, Zero 88

**Production Dimmer system :**

- Chilli Pro 24 x 10 A (240 channels)
- Chilli Pro 6 x 25A (24 channels)

**House Dimmer System :**

- Chilli Pro 12 x 10 A (48 channels)
- Chilli Pro 6 x 25 A (24 channels)

**Stage Lighting Luminaries :**

- Fresnel 2 kw (Arena, selecon) : ..... 24 Unit
- Fresnel 5 Kw ( Toshiba) : ..... 12 Unit
- PC 2Kw (Arena, Selecon) : ..... 24 Unit
- Par 64 Multi Purpose/1 kw (eclips) : ..... 120 Unit
- CYC 1 cell upper row horizon/ 1 Kw (Aurora,selecon) : ..... 32 unit
- CYC 1 cell ground row / 1 Kw (Aurora, selecon) : ..... 32 unit
- Fixed Beam Profile 30° / 1 kw (Pacific, selecon) : ..... 84 unit
- Fixed Beam Profile 40° / 1 kw (Pacifik, selescon) : ..... 50 unit
- 5° HE Fixed Beam / 1Kw ( Pacifik, selecon) : ..... 12 Unit
- 5.5°-13° Very Narrow zoom spot (Pacifik, Selecon) : ..... 12 Unit
- Special effect Projector Lighting (Toshiba) : ..... 2 unit
- Follow spot performance 1.2 – 2 Kw (HMI,Xenon) : ..... 4 unit
- Color Changer 10"/2 KW (Chroma –Q) : ..... 24 unit
- Color Changer PSU (Chorma – Q) : ..... 4 unit





**Rigging**

- Motorized Rigging Location ..... +/- 24.00 Grid Level
- Fly System Location : ..... +/- 10.00 LightingGallery
- Batten Length : ..... 20 – 22 mtr
- Available maximum capacity: ..... 400 kg/each
- Speed: 30 cm/second ..... 8 batten
- Speed : 75 cm /second ..... 29 batten

**Suspension Rigging - Rear stage :**

- Manual winch with hand winch : ..... 5 set
- Length truss/ladder : ..... 19 mtr
- Available maximum capacity : ..... 300 kg


**Suspension Rigging – Side stage :**

- Manual chain hoist : ..... 4 Set
- Available maximum capacity : ..... 2000 kg

**Suspension Rigging – House :**

- Accoustic drape : ..... 1.8 (w) x 3 (H) mtr
- Mororized system : ..... 32 set





## PIPE SCHEDULE

Line set	Type	Distance
#1	Front Border	0.90
#2	Valance Curtain	1.20
#3	House Curtain	1.50
#4	Leg	1.80
#5	Border	2.65
#6	1 <sup>st</sup> Lighting Bar	3.00
#7	Legs	3.30
#8	Border	3.60
#9	Scenery Bar	3.90
#10	2 <sup>nd</sup> Lighting Bar	4.20
#11	Border	4.55
#12	Legs	4.85
#13	Scrim	5.15
#14	Scrim	5.45
#15	3 <sup>rd</sup> Lighting Bar	6.25
#16	Scenery Bar	6.65
#17	Scenery Bar	6.95
#18	Border	7.25
#19	Mid Stage Traveler	7.55
#20	Legs	7.85
#21	Scenery Bar	8.15
#22	4 <sup>th</sup> Lighting Bar	8.45
#23	Scenery Bar	8.75
#24	Scenery Bar	9.10
#25	Legs	10.00
#26	Border	10.30
#27	5 <sup>th</sup> Lighting Bar	10.60
#28	Cyclorama Screen	10.90
#29	Scenery Bar	11.20
#30	Scenery Bar	11.50
#31	Border	11.80
#32	Scenery Bar	12.10
#33	Scenery Bar	12.40
#34	6 <sup>th</sup> Lighting Bar	12.70
#35	Scenery Bar	13.70
#36	Scenery Bar	14.00
#37	Back Drop	14.30





## SOUND Audio Visual

### Auditorium System

- TOA FOH Line array long throw speaker SR-A12L ..... 12 unit
- TOA FOH array short throw speaker SR-A12S ..... 4 unit
- TOA FOH Array subwoofer left SR-A18BQ ..... 4 unit
- TOA FOH Array subwoofer Right SR-A18BQ ..... 4 unit
- TOA 2 ways speaker Z-240G ..... 8 unit
- TOA control room speaker monitor ME-160 ..... 2 unit
- TOA Power amplifier DA-250F for FOH speaker ..... 16 unit
- TOA Power amplifier IP-600D for FOH Array subwoofer ..... 9 unit
- TOA Power amplifier DA-250F for balconies speaker ..... 4 unit
- TOA Power amplifier DA-250F for control room ..... 1 unit
- TOA Digital Processor DP-0206 ..... 5 unit
- Neve Rupert Line Driver ..... 3 unit

### Portable Stage Loudspeaker System

- TOA Stage Fill speaker ES-0871 ..... 8 unit
- TOA Stage sub-woofer speaker SR-L1B ..... 4 unit
- TOA Stage Floor Monitor Speaker SR-M3L/R ..... 6 unit
- TOA Single channel Equalizer E-1231 ..... 4 unit


### Sound Mixing Console

- Allen & Heath FOH Mixer ML-5000 ..... 1 unit
- Klark Technic 8ch digital Line dynamic square one ..... 6 unit
- Allen & Heath stage mixer 48ch-dyanamic-12 aux ML4000 ..... 1 unit
- Klark Technic active microphone ..... 4 unit
- Beyerdynamic Headphone Hi-Fi Stereo DT 231 ..... 2 unit

### Microphones & Mic Stand

- TOA Clip on UHF wireless Microphone WM-4300 ..... 4 unit
- TOA Clip on UHF wireless Microphone WM-5320 ..... 4 set
- TOA Hand-held UHF Wireless Microphone system WM-4200 ..... 8 unit





- Shure vocal dynamic microphone SM-58 ..... 8 unit
- Shure Instrument cardioid Microphone SM-57 ..... 12 unit
- Shure instrument super cardioids/condenser microphones Beta 87A ..... 1 unit
- Shure dynamic supercardioid mic for kick bass Beta 52A ..... 5 unit
- Shure condenser cardioids mic SM 81 for cymbals ..... 2 unit
- Shure Orchestral – choire condenser microphone SM 81 ..... 8 unit
- Shure boundary supercardioid condenser microphone MX-393/S ..... 8 unit
- Earthworks condenser object recording microphone QTC-50 ..... 4 unit
- Earthworks condenser ambience recording microphone QTC-30 ..... 2 unit
- K&M super Boom Mic standard ..... 8 unit
- K&M regular boom Mic standard ..... 32 unit
- K&M desktop Boom Mic standard ..... 24 unit

**Record/Play Back Equipment**

- Tascam CD recorder CD-RW900 ..... 1 unit
- Panasonic Blu-ray disk DMR-E700BD ..... 1 unit
- Steinberg DAW PCM Recorder Cubase SX3.1 ..... 1 unit
- TOA Monitor speaker ME-160 ..... 1 pair
- Focusrite mastering dynamic Mix Master ..... 1 pair
- Beyerdynamic headphone Ho-Fi Stereo DT 231 ..... 3 unit

**Production Intercom System**

- Clearcom Master station 2 ch ..... 1 set
- Clearcom Headset c/w Beltpack ..... 7 set
- Speaker Station ..... 25 set
- Clearcom single muff headset CC-95 ..... 10 unit

**Radio Headset**

- Motorola Handy talkie ..... 10 set
- Alincho DJ 595UHF/VHF programmable portable, 99 channel ..... 8 set

**Visual System**

- Sanyo Video Projector PLC-XF42 ..... 1 unit
- TOA FOH CCTV system CC-564 ..... 8 unit
- TOA digital video recording ZC-DR161D6 ..... 1 unit





## Teater Jakarta

### Technical Information

- Panasonic Video Camera AG-HVX200E ..... 1 unit
- Panasonic DV docking Recorder AJ-P2C016RG ..... 1 unit
- Dell Precision 690 PC Video workstation ..... 1 unit
- Newtek VT(4) Video Toaster (4) non-linear Editing Suit ..... 1 unit









# Teater Jakarta


## Technical Information





ADJUSTABLE PROSCENIUM



STAGE FROM FRONT







Level 1

Capacity : 675 seats







Level 2

Capacity : 255 seats





Level 3

Capacity : 310 seats

